

TN-LCD PANEL ORDERING SYSTEM

L T A 0001 U P R D P N – S – G

1 2 3 4 5 6 7 8 9 10 11 12

1 L – LAMPEX

2 TN – LCD

T – TN-LCD

H – HTN-LCD

3 DUTY

A – STATIC

B – ½

C – 1/3

D – ¼

4 PRODUCT NUMBER

5 VIEWING ANGLE

U – Upper 12 o'clock

D – Lower 6 o'clock

R – Right 3 o'clock

L – Left 9 o'clock

Z – Others

6 LCD DISPLAY MODE

P – Positive

N – Negative

7 POLARIZER MODE

R – Reflective

T – Transmissive

F – Transflective

8 POLARIZER METHOD

N – Two side non-adhesive

D – Two side adhesive

R – Rear side adhesive

F – Front side adhesive

9 CONNECTOR

P - Pin Connector

H – Heat sealed

C - Normal

10 TEMP. GRADE

W – Wide Temperature

N – Normal Temperature

11 SPECIAL REMARK

S – Having special remark

P – Side polished

SP – Special pin

12 ADDITIONAL SPECIAL REMARK

C1 – Outside ink screen on glass

C2 – Outside ink screen on polarizer

C3 – Black mask and other inside ink screen between two glass

C4 – Mixed ink screen

G - COG type

Blank – Having no special remark